

USPTO PATENT FULL-TEXT AND IMAGE DATABASE[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

AN/"Hach Company": 171 patents.

Hits 1 through 50 out of 171

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

AN/"Hach Company"

PAT. NO.	Title
1 11,169,112	pH measurement of an aqueous sample
2 11,093,777	Optical character recognition (OCR) and coded data for legacy instrument data transfer
3 11,035,798	Fluorescent measurement of filming amines
4 11,029,280	Alkalinity sensor
5 10,890,574	Digestion of lead(0) and subsequent colorimetric detection of lead(II)
6 10,823,672	Turbidimeter
7 10,801,990	Alkalinity measurement of an aqueous sample
8 10,794,883	Colorimetric detection of aluminum in an aqueous sample
9 10,794,882	Aqueous colorimetric fluoride detection
10 10,724,984	SP3 substituted carbon electrode TOC analysis using metallic catalyst
11 10,718,861	Frequency profiles for non-contact range measurement with multi-scale analysis
12 10,670,573	Chloride measurement using non-harsh reagents
13 10,634,656	Storage stable standards for aqueous chlorine analysis
14 10,591,455	Mobile water analysis
15 10,571,315	Single-beam radar level and velocity sensing
16 10,539,529	Determination of analytes using electrochemically active indicator species as reactants
17 10,527,599	Method and kit for determining if a shock treatment is necessary for a water source
18 10,520,433	Turbidimeter
19 10,408,648	Flow meter with adaptable beam characteristics
20 10,317,386	Determination of aqueous nitrate concentration
21 10,309,948	Carbon quantifying apparatus and method
22 10,309,808	Fluid quantification instrument and method
23 10,302,552	Apparatus, composition and method for determination of chemical oxidation demand
24 10,295,385	Flow meter with adaptable beam characteristics
25 10,281,393	Turbidimeter
26 10,247,635	Online chlorine analyzer
27 10,215,745	Mobile water analysis

- 28 [10,203,316](#)  [Colorimetric determination of aqueous nitrate concentration](#)
- 29 [10,203,231](#)  [Sonde](#)
- 30 [10,175,163](#)  [Aqueous sample fluid measurement and analysis](#)
- 31 [10,126,246](#)  [Lab-on-a-chip for alkalinity analysis](#)
- 32 [10,006,863](#)  [Adjustment of measurement system components](#)
- 33 [10,006,853](#)  [Vial and cap for turbidity standard](#)
- 34 [9,927,268](#)  [Oxidation/reduction measurement](#)
- 35 [D806,826](#)  [Wall mountable remote indicator for a water system](#)
- 36 [9,791,430](#)  [Measurement of total organic carbon](#)
- 37 [9,746,012](#)  [Self-centering vial clamp](#)
- 38 [9,719,914](#)  [Mobile water analysis](#)
- 39 [9,625,434](#)  [Dripless, permanent sealing assembly for container](#)
- 40 [9,625,295](#)  [Doppler measurement instrument and doppler measurement processing method](#)
- 41 [9,618,495](#)  [Carbon quantifying apparatus and method](#)
- 42 [9,588,094](#)  [Water monitoring system](#)
- 43 [9,545,781](#)  [Chlorine analytical test element and a stabilized N, N-diethyl-p-phenylenediamine solution](#)
- 44 [9,513,146](#)  [Insertion mount device](#)
- 45 [9,476,866](#)  [COD/TOC analyses using ferrate oxidation](#)
- 46 [D768,872](#)  [Cuvette for a water analysis instrument](#)
- 47 [9,453,853](#)  [Target set processing in a fluid flow velocity instrument to reduce noise](#)
- 48 [9,329,054](#)  [Adjustment of measurement system components](#)
- 49 [9,323,035](#)  [Annular optical device](#)
- 50 [9,274,076](#)  [Low slope pH electrode with charge transfer component](#)
-

